

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and optimiz\$6 with quer\$3 and predicate\$1 same cost\$1 same access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:38
L2	1	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and optimiz\$6 and predicate\$1 same query near3 cost\$1 same access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:40
L3	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and optimiz\$6 and predicate\$1 same query near3 cost\$1 with access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:41
L4	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and optimiz\$6 and predicate\$1 same query near5 cost\$1 with access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:41
L5	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and predicate\$1 same query near5 cost\$1 with access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:41
L6	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and predicate\$1 same query with cost\$1 with access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:41

L7	2	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and predicate\$1 same query same cost\$1 with access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:41
L8	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and extract\$4 with predicate\$1 and cost\$1 with access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:42
L9	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and extract\$4 with predicate\$1 and cost\$1 same access near4 path\$1 and loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:42
L10	0	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and extract\$4 with predicate\$1 and cost\$1 same access near4 path\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:43
L11	10	(@ad<"20031208" or @pd<"20031208" or @rlad<"20031208" or @prad<"20031208") and extract\$4 same predicate\$1 and cost\$1 same access near4 path\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/09 11:43

4/ 9/ 2009 1:07:06 PM